

A Systems Approach to Distinctive Impact
Protection Design Since 1945

Pro•Tek®

IMPACT

Parking Systems

Engineered and Manufactured
by the Pawling Corporation
www.pawling.com



Parking & Traffic Safety Products

Protect

- Walls
- Corners
- Columns
- Archways
- And Loading Docks

Or ...

- Drive-Up Windows
- Gasoline Pumps
- Oil Tanks
- Hazardous Material and Equipment
- Electrical Wiring and Junction Boxes
- Exposed Plumbing and Gas Lines
- In-Plant Offices
- Marine Docks
- And even Landscaping Material, such as trees, benches, and sidewalks

From ...

- Cars
- Trucks
- Fork Lifts
- Palette Jacks
- Service Vehicles
- Carts
- Boats
- Or Any Other Type of Vehicle

Vehicular traffic poses a myriad of problems and concerns for many types of facilities. Pawling Corporation's line of heavy-duty impact protection products and vehicle control accessories addresses these hazards by making your environment safer for vehicles and people, not to mention extending the life of your facility, and reducing costly repair and maintenance problems. Pro-Tek® products are designed to safeguard walls, corners, and columns exposed to vehicular traffic, and to control vehicle movement to reduce the incidence of personal injury to employees, customers, and pedestrians.

Minimizing damage to vehicles and people can also mean reducing insurance claims and liability policy premiums. A safer environment for employees can result in lower disability



claims and insurance costs, as well as a reduction in lost-time accidents. Whether it be a loading dock, warehouse, manufacturing plant, transportation terminal, distribution center, airport ground support area, parking garage or parking lot, service corridors, or even boating marinas, Pro-Tek® has the answers to your vehicular traffic problems.

Tell us what your impact protection and vehicle control issues are, and let us suggest a comprehensive system utilizing Pro-Tek® products to protect your facility, vehicles, and people. See for yourself the difference that Pro-Tek® products can make.

11 Vehicle Control



SPEED BUMPS

Product Code	Color	Weight	Material	Stock Length	Features Accessories	Installation
SBE-143	Safety Yellow	12 lbs./Lin. Ft.	Extruded EPDM Rubber	6, 8, 10, 12 and 16 Ft.	Super heavy weight loose-lay speed bump	Loose-Lay Optional 3/16" Proof Coil Chain
SBM-1225	Safety Orange	20 lbs./Ea.	Molded Urethane	4 Ft.	Modular interlocking sections—ribbed surface	Lag Screws w/Nylon Plugs Style SBEC-1225 End Caps
SBE-1025	Safety Yellow	70": 28 lbs./Ea. 106": 48 lbs./Ea.	100% post-consumer, post-industrial recycled plastic	70", 106"	Economical, easy portability	Concrete: Lag Bolt/Butyl Tape Asphalt: Ground Spike/Butyl Tape






PARKING BLOCKS

Product Code	Color	Weight	Material	Stock Length	Features Accessories	Installation
PB-1	Safety Yellow, Handicap Blue, White, Black, Gray	32 lbs./Ea.	100% post-consumer, post-industrial recycled plastic	70"	Lightweight Durable, Solid Color Throughout	Concrete: Lag Bolts Asphalt: Spikes Galvanized Truss plates for adhesive installation to concrete
PB-2	Safety Yellow, Handicap Blue, White, Black, Gray	25 lbs./Ea.	100% post-consumer, post-industrial recycled plastic	70"	Lightweight Durable, Solid Color	Concrete: Lag Bolts Asphalt: Spikes Galvanized Truss plates for adhesive installation to concrete




RUBBER WHEEL CHOCKS & WEDGES

Product Code	Color	Weight	Description
SC-10	Black	9 lbs./Ea.	<ul style="list-style-type: none"> Molded from tough nylon-reinforced rubber compound. Economical and long wearing. Recommended for use with heavy trucks/trailers and road equipment. Integral eye bolt for attaching chain.
SC-13	Black	9 lbs./Ea.	<ul style="list-style-type: none"> Same wheel chock as Style SC-10, but with convenient metal "U"-bolt for carrying ease. Recommended wherever frequent handling is required.
SC-2	Black Safety Yellow	9 lbs./lin.Ft.	<ul style="list-style-type: none"> All purpose style suitable for aircraft and medium sized trucks. EPDM rubber compound offers outstanding weathering characteristics and resistance to petroleum fuels, including jet fuel. High visibility orange hi-lite strips on 2 sides. Custom lengths up to 12'0".
SC-7	Black Safety Yellow	7.5 lbs./lin.Ft. 9 lbs./lin.Ft.	<ul style="list-style-type: none"> Versatile design for use with trucks, aircraft, large pipe, and recreational vehicles, and at most industrial dock locations. EPDM rubber compound offers outstanding weathering characteristics and resistance to petroleum fuels, including jet fuel. Custom lengths up to 12'0".
SC-3	Black	14 lbs./Ea.	<ul style="list-style-type: none"> Laminated recycled tire rubber pads assembled on 3/4" (19.1mm) bolts and compressed between 1/4" (6.35mm) steel plates Positive grip—contoured to fit curvature of tire. Ideal for heavy utility trucks and equipment, large cable rolls and buses.




URETHANE WHEEL CHOCKS & WEDGES

	Product Code	Color	Weight	Description
SC-6	SC-6	Orange	2 Lbs./Ea.	<ul style="list-style-type: none"> Recommended for use with utility vehicles, pick-up trucks and recreation vehicles. Diamond plate face surface provides excellent grip.
SC-12	SC-12	Orange	4 Lbs./Ea.	<ul style="list-style-type: none"> Recommended for any "over-the-road" trucks/trailers. Lightweight, yet heavy duty.
SC-17	SC-17	Orange	28 Lbs./Ea.	<ul style="list-style-type: none"> Rated for 120 ton trucks.
SC-18	SC-18	Orange	45 Lbs./Ea.	<ul style="list-style-type: none"> Rated for 240 ton trucks.




EXTRUDED RUBBER WEDGES

	Product Code	Color	Weight	Description
SC-5	SC-5	Black	2.5 Lbs./Lin.Ft.	<ul style="list-style-type: none"> Grooved base contoured to provide positive "gripping" action. Smooth surface prevents damage to rolls. EPDM rubber compound provides outstanding durability and weather resistance. Available in any length up to 12'0".
SC-9	SC-9	Black	4.5 Lbs./Lin.Ft.	<ul style="list-style-type: none"> Heavyweight design used to contain metal pipes, rolls, cable, and light trailers. Smooth surface prevents damage to outside layers of paper rolls. EPDM rubber compound provides outstanding durability and weather resistance. Available in any length up to 12'0".



BOLLARD COVERS

	Product Code	Color	Weight	Material	Stock Length	Feature Accessories	Installation
BOL-47 BOL-49	BOL-47	Safety Yellow	3.0 lbs./Ea.	Polyethylene with U.V. Stabilizers	50"	Fits 3" to 4-1/2" Diameter Bollards	Clamp Band with Lock Screw
	BOL-49	Safety Yellow	4.0 lbs./Ea.	Polyethylene with U.V. Stabilizers	50"	Fits 5" to 6-1/2" Diameter Bollards	Clamp Band with Lock Screw



STEEL CHAINS

	Product Code	Color	Weight/Lin.Ft.	Description
CH-1 CH-2	CH-1	#3/0., Gauge: .148"	0.2 Lbs.	<ul style="list-style-type: none"> Weldless Chain—double loop. Low carbon steel. Finish: Bright zinc coated. Working load limit: 305 Lbs.
	CH-2	Gauge: .1875"	0.39 Lbs.	<ul style="list-style-type: none"> 3/16" Grade 30-proof coil chain. Low carbon steel. Electro-galvanized. Working load limit: 800 Lbs.



Color Selection Guide

IMPACT PROTECTION

STANDARD 60


10 WHITE	676 DOVER WHITE*	385 BEIGE DESERT	156 HUNTER GREEN*	PRO-TEK EARTH™ E24 WHITE	ADIRONDACK® WOOD STAINS
301 LINEN WHITE	268 DOESKIN	269 ECRU	29 BLUE ICE*	E23 CAROLINE RED	132 CLEAR
554 MISSION WHITE	379 MOJAVE SAND	494 LAVENDER HEATHER*	369 BLUE FOG	E17 DARK TEAK	475 EARLY AMERICAN
541 WHITE SAND	148 DESERT SAND	366 SOFT PEACH*	265 WINDSOR BLUE	E21 CEDAR	476 LIGHT CHERRY
361 PEARL*	3 TAN	381 DAWN*	490 BLUE BIRD	E20 LIGHT OAK	474 DARK CHERRY
370 EGGSHELL	682 KHAKI BROWN	373 ENGLISH ROSE	520 BRITTANY BLUE*	E14 WEATHERED WOOD	478 WALNUT
313 CHAMPAGNE	718 SILKWORM*	304 VICTORIAN ROSE*	583 ALEXIS BLUE*	E13 SAND	380 CORDOVAN
648 MONTEREY	21 CAPPUCCINO*	380 CORDOVAN*	176 TAUPE	E12 LIGHT GRAY	
411 PUMICE*	113 TOFFEE*	22 WOODLANDS*	238 BONE	E10 GRAY	
555 PORCELAIN	204 SHELL*	293 SEA FOAM*	483 HARVARD GRAY*	E9 DARK GRAY	
193 WHEAT*	486 CAISSON*	377 TEAL	297 CHINCHILLA*	E1 BLACK	
2 IVORY	359 GINGER SPICE*	382 STORMY BLUE*	210 SILVER GRAY	E6 TURF GREEN	
263 PALE YELLOW	288 MOCHA*	371 SAGE GREEN	289 PEARL GRAY		
569 SAFFRON*	694 CAFÉ AU LAIT*	376 PALE JADE*	5 GRAY		
497 CHABLIS	4 BROWN	300 GROTTO*	1 BLACK*		

*Minimum quantity of two cases for WC-30 wall covering

POWDER COAT FINISHES

780 BRONZE HAMMERTONE	781 GRAY HAMMERTONE	782 SILVER HAMMERTONE	783 BLUE HAMMERTONE	784 GREEN HAMMERTONE
790 GRAY HAMMER	791 BLACK HAMMER			

Due to limitation of printing, colors are representational only and may vary. Please request a sample when choosing final colors.



Pawling Catalogs in Sweets

Pro•Tek® Impact Protection Systems: 10 26 00/PAW, General Building
 Pro•Tek® Athletic Flooring: 09 65 66/PAW, General Building
 Pro•Tek® Entrance Matting & Gratings: 12 48 13/PAW, General Building
 Pawling Corporation products may also be found on www.arcat.com,
www.sweets.com and www.4specs.com

TRAFFIC & SAFETY

VARIOUS PARKING PRODUCTS	PRO-TEK EARTH™
10 WHITE	E24 WHITE
2 IVORY	E23 CAROLINE RED
4 BROWN	E17 DARK TEAK
5 GRAY	E21 CEDAR
1 BLACK	E20 LIGHT OAK
97 POLAR WHITE	E14 WEATHERED WOOD
8 HANDICAP BLUE	E13 SAND
12 SAFETY YELLOW	E12 LIGHT GRAY
3 TAN	E10 GRAY
104 ORANGE	E9 DARK GRAY
	E1 BLACK
	E6 TURF GREEN

For detailed technical drawings and information on all Pawling products including CADs and specs, visit www.pawling.com

Corporate Information

Our Vision & Warranty Pawling Corporation Architectural Products Division pledges to employ all its resources to focus on customer satisfaction and continual improvement. We strive to provide superior quality products and services that meet or exceed your expectations. We want to be your first choice for a wide variety of architectural products. Pawling stands behind every sale with our Limited Lifetime Warranty. We warrant all standard catalog products against defect in materials and workmanship when installed in conformance with the Pawling Corporation Installation Instructions.

Pawling Corporation Architectural Products

32 Nelson Hill Road
 P.O. Box 200
 Wassaic, NY 12592
 Tel: (800) 431-3456
 or (845) 373-9300
 Fax: (800) 377-4403
 or (845) 373-7827
www.pawling.com

©2009 The Pawling Corporation
 Pawling Corporation reserves the right to discontinue or modify a design without prior notice.



Pro•Tek®
 Impact Protection
 Traffic and Safety